


# SECOND STAGE / LOW PRESSURE INDUSTRIAL REGULATORS

## MEGR-S1202 & MEGR-CS1200 SERIES



**MEGR-S1202  
Series**



**MEGR-CS1200  
Series**

**APPLICATION:**

The MEGR-S1202/MEGR-CS1200 Series commercial/industrial regulators are large capacity, low pressure second stage units for installation at schools, bakeries, and similar applications. They contain a limited capacity internal relief valve and can be used in conjunction with either MEGR-1627 Series or MEGR-1630 Series high-pressure regulators.

For high capacity installations, the MEGR-289H Series relief valve is required to be installed in the downstream system.

Part No.	Description	Inlet/Outlet Connection Style	Orifice	Outlet Pressure Range	Outlet Pressure Setting	Maximum Operating Inlet Pressure	BTU/H LPG @ 25 PSI Inlet
MEGR-CS1200IR6EC1	Second Stage Low Pressure Regulator	3/4" FNPT	1/2"	6 - 14" WC	11" WC	25 PSIG	2,100,000
MEGR-CS1200IR6EC3		1" FNPT	1/2"				2,500,000
MEGR-CS1200IR6EC6		1-1/4" FNPT	1/2"				3,100,000
MEGR-S1202G-BNC		1-1/2" FNPT	1"	9 - 18" WC			14,700,000
MEGR-S1202G-CNC		2" FNPT	1"				30,000,000
MEGR-S1202H-CNK		2" FNPT	1"	1.5-3.25 PSI			2 PSI

**MEGR-S1202 & MEGR-CS1200 SPECIFICATIONS**

Type: Adjustable/Inches WC or PSI  
 Orifice Diameter: 1/2" or 1"  
 Max. Inlet Pressure: 25 PSIG  
 Body Material: Iron  
 Regulator Spring: Music Wire  
 Spring Case/Stem Guide/Disk Holder: Aluminum  
 Exterior Finish: Gray Powder Coat  
 Disk/ Diaphragm and O-Ring Fabric Reinforced Nitrile (NBR)  
 Closing Cap Gasket: Neoprene

\*Other configurations and materials available upon request.  
 \* WC = Water Column

